

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:


Claims 1-30 (Canceled)

31. (Previously Presented) A method according to claim 36, wherein the sodium salt of a compound of formula III-1 is introduced into the living body in combination with a pharmaceutically acceptable carrier.

32. (Previously Presented) A method according to claim 46, wherein the sodium salt of a compound of formula III-1 is introduced into the living body in combination with a pharmaceutically acceptable carrier.

33-35. (Canceled)

36. (Previously Presented) A method of near infrared fluorescence imaging comprising introducing a sodium salt of a compound of formula III-1 having three or more sulfonic acid groups in a molecule



[III-1]

wherein

L¹-L³ and L⁵-L⁷ are each an unsubstituted methine,

L⁴ is methine substituted by alkyl having 1 to 4 carbon atoms or an alkyl having 1 to 4 carbon


atoms and substituted by a sulfonic acid group,

R¹⁹ and R²⁰ are lower alkyl having 1 to 5 carbon atoms and are substituted by a sulfonic acid group,

R²¹, R²³, R²⁴, R²⁵, R²⁷ and R²⁸ are each hydrogen,

R²² and R²⁶ are the same or different and each is a hydrogen atom or a sulfonic acid group, and

X' and Y' are the same or different and each is a group of the formula




wherein R¹⁷ and R¹⁸ are unsubstituted lower alkyl having 1 to 5 carbon atoms, into a living body, exposing the body to excitation radiation, and detecting near infrared fluorescence from said compound.

37. (Previously Presented) A method of claim 36 for angiography.
38. (Previously Presented) A method of claim 36 for tumor imaging.
39. (Previously Presented) A method of claim 36, wherein in the sodium salt of a compound of formula III-1 lower alkyl in R¹⁹ and R²⁰ is of 1-4 C-atoms.
40. (Previously Presented) A method of claim 36, wherein in the sodium salt of a compound of formula III-1 lower alkyl in R¹⁹ and R²⁰ is of 1-2 C-atoms.
41. (Previously Presented) A method of claim 36, wherein the sodium salt of a compound of formula III-1 has three sulfonic acid groups.
42. (Previously Presented) A method of claim 36, wherein the sodium salt of a compound of formula III-1 has four sulfonic acid groups.

43-45. (Canceled)

46. (Previously Presented) A method of near infrared fluorescence imaging comprising introducing a compound of the formula




into a living body, exposing the body to excitation radiation, and detecting near infrared fluorescence from said compound.

47. (Previously Presented) A method of claim 46 for angiography.


48. (Previously Presented) A method of claim 46 for tumor imaging.

49. (Previously Presented) A method of claim 46, wherein the following compound


is introduced into a living body



50. (Previously Presented) A method of claim 46, wherein the following compound is introduced into a living body



51. (Previously Presented) A method of claim 46, wherein the following compound is introduced into a living body



52. (Previously Presented) A method of claim 51 for angiography.

53. (Previously Presented) A method of claim 51 for tumor imaging.

54. (New) A method of claim 36 wherein the living body is a human.

55. (New) A method of claim 46 wherein the living body is a human.
56. (New) A method of claim 51 wherein the living body is a human.